


Optech Technology Product Catalog

Smart connected Optech products to build a intelligent world.



High Quality
Prompt Response
Professional Service

optech
optimize your networking

We Optech

Optech – Your Trusted Partner in Optical Connectivity

Optech is a leading developer and manufacturer of optical transceivers and high-speed cable solutions (DAC, AOC, ACC, AEC) for data centers, telecom networks, and AIoT applications. Since 2001, we have been committed to delivering high-quality products with reliable lead times, earning the trust of customers worldwide.

Broad Product Portfolio

Optech provides a comprehensive range of networking and communication solutions, including:

- **Optical Transceivers:**
155Mb–1.25G SFP, 10G SFP+, 25G SFP28, 32G SFP, 40G QSFP+, 50G SFP56 / QSFP56, 64G SFP, 100G QSFP28, 200G QSFP56 / QSFP-DD, 400G QSFP-DD / OSFP, 800G QSFP-DD / OSFP, 1.6T OSFP, 1.6T OSFP-XD.
- **High-speed Cables:**
Direct Attach Cables (DAC), Active Optical Cables (AOC), Active Copper Cables (ACC), Active Electrical Cables (AEC).
- **Network Accessories:**
Ethernet media converters, fiber optical patch cords, BWDM/CWDM/DWDM Mux/Demux, and 100G repeaters.

Compatibility & Reliability

Our products are 100% compatible with leading brands, including NVIDIA, Arista, Cisco, HPE, Aruba, Ciena, Juniper, Alcatel, Nokia, Mellanox, Intel, Ericsson, Fortinet, Huawei, Dell, and many more. We maintain strict quality control and inspection processes, ensuring consistent performance and customer satisfaction.

OEM & Partnership

Optech has extensive experience as an OEM partner for major global brands.

- We support custom branding and labeling.
- For customers seeking a reliable second source, we provide competitive pricing and stable supply.

Global Reach

Our solutions are trusted by telecom, datacom, and AI companies across 40+ countries, including:

Australia, Arab, Brazil, Canada, China, France, Germany, Hong Kong, Israel, Italy, Japan, Korea, Singapore, South Africa, Spain, UK, USA and more.

Manufacturing Excellence

- Over 5,000 m² factory space, equipped for high-volume optical product and cable.
- Fully RoHS compliant, certifications including UL, TUV Rheinland, CE, CB, and ISO9001.
- Proven expertise in optical innovation and patented technologies.

Innovation & Value

Deployed in more than 40 countries, Optech's patented technologies enhance network visibility, application performance monitoring, and threat detection, helping customers:

- Gain deeper insights into user activity
- Protect investments in monitoring tools
- Lower the overall cost of proactive network operations



A night-time photograph of a city skyline with illuminated skyscrapers. Overlaid on the image are several white, overlapping arcs representing a 5G network signal. In the foreground, there are colorful light trails in shades of orange, red, and blue, suggesting fast-moving traffic or data flow.

5G

Telecom
Enterprise
Datacenter


CONTENTS


Index

Transceiver

1	800G	QSFP-DD/OSFP
2	400G	QSFP-DD/OSFP/QSFP112
3	Coherent	400G/100G
4	200G	QSFP-DD/QSFP56
5	100G	QSFP28
7	50G	QSFP28/QSFP56/SFP56
8	40G	QSFP+
9	25G	SFP28
10	10G	SFP+
11	10G	XFP
12	1.25G	SFP
13	1.25G	SFP xWDM
14	622/155M	SFP FE OC-12/OC-3

**1.6T
OSFP
OSFP-XD
available**






DAC

- 15** Direct Attach Cable
- 16** DAC Fanout Cable

AEC
ACC
available

AOC

- 17** Active Optical Cable
- 18** AOC Fanout Cable





800G

QSFP-DD/OSFP

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
800G QSFP-DD								
OPDM-MT5-85-CxO	800G QSFP-DD 2xSR4	MMF	2xMPO-12	850nm	50m	VCSEL	PIN	16w
OPDM-MT5-85-CxK	800G QSFP-DD SR8	MMF	MPO-16	850nm	50m	VCSEL	PIN	16w
OPDM-SX5-13-CxO	800G QSFP-DD 2xDR4	SMF	2xMPO-12	1310nm	500m	EML/Sipho	PIN	16w
OPDM-SX5-13-CxS	800G QSFP-DD DR8	SMF	MPO-16	1310nm	500m	EML/Sipho	PIN	16w
OPDM-S02-13-CxO	800G QSFP-DD DR8+	SMF	2xMPO-12	1310nm	2km	EML/Sipho	PIN	16.5w
OPDM-S02-13-CxS	800G QSFP-DD DR8+	SMF	MPO-16	1310nm	2km	EML/Sipho	PIN	18.5w
OPDM-S02-13-Cx2	800G QSFP-DD 2xFR4	SMF	Dual CS/LC	CWDM4	2km	EML/Sipho	PIN	16w
OPDM-S10-13-Cx2	800G QSFP-DD 2xLR4	SMF	Dual CS/LC	1310nm	10km	EML/Sipho	PIN	18w
800G OSFP Open-finned (Finned Top)								
OPOM-MT5-85-CxO	800G OSFP SR8	MMF	2xMPO-12	850nm	50m	VCSEL	PIN	14W
OPOM-MX1-85-CxK	800G OSFP SR8	MMF	MPO-16	850nm	100m	VCSEL	PIN	12W
OPOM-SX5-13-CxO	800G OSFP 2xDR4	SMF	2xMPO-12	1310nm	500m	EML/Sipho	PIN	14W
OPOM-SX5-13-CxK	800G QSFP-DD DR8	SMF	MPO-16	1310nm	500m	EML/Sipho	PIN	17W
OPOM-S02-13-CxO	800G OSFP 2xDR4+	SMF	2xMPO-12	1310nm	2km	EML/Sipho	PIN	16W
OPOM-S02-13-CxK	800G OSFP DR8+	SMF	MPO-16	1310nm	2km	EML/Sipho	PIN	16W
OPOM-S10-13-CxO	800G OSFP 2xLR4	SMF	2xMPO-12	1310nm	10km	EML/Sipho	PIN	14W
800G OSFP Close-finned								
OPOM-MT5-85-CxN	800G OSFP 2xSR4	MMF	2xMPO-12	850nm	50m	VCSEL	PIN	16W
OPOM-S02-13-Cx2	800G OSFP 2xFR4	SMF	Dual LC	CWDM4	2km	EML/Sipho	PIN	16W
OPOM-S10-13-Cx2	800G OSFP 2xLR4	SMF	Dual LC	1310nm	10km	EML/Sipho	PIN	16w
800G OSFP RHS (Flat Top)								
OPOM-MT5-85-CxM	800G OSFP 2xSR4	MMF	2xMPO-12	850nm	50m	850nm VCSEL	PIN	16W
OPOM-S02-13-CxM	800G OSFP 2xDR4	SMF	2xMPO-12	1310nm	2km	EML/Sipho	PIN	16W



400G

QSFP-DD/OSFP

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
400G QSFP-DD								
OPDY-MX1-85-CB	400G-QSFP-DD-SR8	MMF	MPO-16	850nm	100m	VCSEL	PIN	11w
OPDY-MT5-85-CB4	400G-QSFP-DD-SR4	MMF	MPO-12	850nm	100m	VCSEL	PIN	11w
OPDY-WX1-85-CBT	400G-QSFP-DD SR4.2 BD	MMF	MPO-12	850nm	100m	VCSEL	PIN	11w
OPDY-SX5-13-CB	400G-QSFP-DD-DR4	SMF	MPO-12	1310nm	500m	EML / Sipho	PIN	10.5w
OPDY-S02-13-CBS	400G-QSFP-DD DR4+	SMF	MPO-12	1310nm	2km	EML / Sipho	PIN	9w
OPDY-S02-13-CB	400G-QSFP-DD-FR4	SMF	Duplex LC	CWDM4	2km	EML CWDM4	PIN	10.5w
OPDY-S10-13-CBE	400G-QSFP-DD-eCWDM4	SMF	Duplex LC	1310nm	10km	EML / Sipho	PIN	11w
OPDY-S10-13-CBS	400G-QSFP-DD-4x100G-LR	SMF	MPO-12	1310nm	10km	EML / Sipho	PIN	8w
OPDY-S30-13-CB	400G-QSFP-DD-ER4-LITE	SMF	Duplex LC	1304.58nm, 1306.85nm 1309.14nm, 1311.43nm	30km	EML LWDM4	APD	12w
OPDY-S40-13-CA	400G-QSFP-DD-ER4	SMF	Duplex LC	1304.58nm, 1306.85nm 1309.14nm, 1311.43nm	40km	LANWDM	PIN	13w
400G QSFP112								
OPEY-MT5-85-CB4	400G QSFP112 VR4	MMF	MPO-12	850nm	50m	VCSEL	PIN	8w
OPEY-SX5-13-CBS	400G QSFP112 DR4	SMF	MPO-12	1310nm	500m	EML/Sipho	PIN	8w
OPEY-S02-13-CBS	400G QSFP112 DR4+	SMF	MPO-12	1310nm	2km	EML/Sipho	PIN	10w
OPEY-S02-13-CB	400G QSFP112 FR4	SMF	Duplex LC	1310nm	2km	EML/Sipho	PIN	9.5w
400G OSFP Open-finned (Finned Top)								
OPOY-MT5-85-CB	400G OSFP VR4	MMF	MPO-12	850nm	50m	VCSEL	PIN	9w
OPOY-SX5-13-CB	400Gbps OSFP DR4	SMF	MPO-12	1310nm	500m	EML/Sipho	PIN	12w
OPOY-S02-13-CBS	400G OSFP DR4+	SMF	MPO-12	1310nm	2km	EML/Sipho	PIN	9w
OPOY-S02-13-CBC	400G OSFP 2xFR4	SMF	Duplex CS	1310nm	2km	EML/Sipho	PIN	12w
400G OSFP Closed-finned								
OPOY-MX1-85-CB	400G OSFP SR8	SMF	MPO-16	850nm	100m	VCSEL	PIN	12w
OPOY-SX5-13-CBN	400G QSFP DR4	SMF	MPO-12	1310nm	500m	EML/Sipho	PIN	9w
OPOY-S02-13-CBN	400G OSFP DR4+	SMF	MPO-12	1310nm	2km	EML/Sipho	PIN	12w
400G OSFP RHS (Flat Top)								
OPOY-MT5-85-CB4	400G OSFP VR4	MMF	MPO-12	850nm	50m	VCSEL	PIN	9w
OPOY-SX5-13-CBS	400Gbps OSFP DR4	SMF	MPO-12	1310nm	500m	EML/Sipho	PIN	12w
OPOY-S02-13-CB	400G OSFP FR4	SMF	Duplex LC	CWDM4	2km	Sipho CWDM4	PIN	11w
OPOY-S10-13-CB	400G OSFP LR4	SMF	Duplex LC	1310nm	10km	EML/Sipho	PIN	11w





SCAN
FOR
MORE
APPLICATION

Coherent 800G/400G QSFP-DD

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
400G QSFP-DD								
OPDY-S40-xx-CW	QSFP-DD ZR 40km	SMF	Duplex LC	DWDM	40km	C band	TBA	18w
OPDY-S80-xx-CW	QSFP-DD ZR 80km	SMF	Duplex LC	DWDM	80km	C band	TBA	18w
OPDY-SC0-xx-CW	QSFP-DD OpenZR+ 120km	SMF	Duplex LC	DWDM	120km	C band	TBA	21w
OPDY-SD0-xx-CWH	QSFP-DD OpenZR+ High TXPow 420km	SMF	Duplex LC	DWDM	420km	C band	TBA	22w
800G QSFP-DD								
OPDM-SC0-xx-Cx	QSFP-DD ZR 120km	SMF	Duplex LC	DWDM	120km	C band	TBA	27W
OPDM-SD0-xx-Cx	QSFP-DD ZR 450km	SMF	Duplex LC	DWDM	450km	C band	TBA	29w

Coherent Long-Haul Application






200G


QSFP56/QSFP-DD

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
200G QSFP56								
OPBV-MX1-85-CH	200G QSFP56 SR4	MMF	MPO-12/APC	850nm	100m	VCSEL	PIN	5W
OPBV-MX1-85-CHU	200G QSFP56 SR4	MMF	MPO-12/UPC	850nm	100m	VCSEL	PIN	5W
OPBV-SX5-13-CF	200G QSFP56 DR4	SMF	Duplex LC	1310nm	500m	DFB	PIN	6W
OPBV-S02-13-CF	200G QSFP-56 FR4	SMF	Duplex LC	1310nm	2km	DFB	PIN	6W
OPBV-S10-13-CF	200G QSFP-56 LR4	SMF	Duplex LC	1310nm	10km	DFB	PIN	6W
QSFP-DD 200Gbps								
OPDV-MX1-85-CF	200G QSFP-DD SR8	MMF	MPO-24	850nm	100m	VCSEL	PIN	4W
OPDV-S02-13-CFS	200G QSFP-DD PSM8 2km	SMF	MPO-16	1310nm	2km	DFB	PIN	6.5W
OPDV-S10-13-CFS	200G QSFP-DD PSM8 10km	SMF	MPO-16	1310nm	10km	DFB	PIN	6.5W
OPDV-S10-13-CF8	200G QSFP-DD LR8 10km	SMF	MPO-16	1310nm	10km	DFB	PIN	6.5W
OPDV-S10-13-CB4	200G QSFP-DD LR4 10km	SMF	Duplex LC	LWDM	10km	DFB	PIN	8.5W
OPDV-S40-13-CB	200G QSFP-DD ER4 40km	SMF	Duplex LC	LWDM	40km	EML LWDM	APD	12W



100G_{QSFP28}

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
100G QSFP28								
OPCW-MX1-85-CB	QSFP28-100G-SR4	MMF	MPO	850nm	100m	VCSEL	PIN	2.5W
OPCW-AX1-85-CF	QSFP28-100G-SWDM4	MMF	Duplex LC	850nm	100m	VCSEL	PIN	4W
OPCW-MX3-85-CF	QSFP28-100G-eSR4	MMF	MPO	850nm	300m	VCSEL	PIN	2W
OPCW-S02-13-CF	QSFP28-100G-LR4-LITE	SMF	Duplex LC	1310nm	2km	DFB	PIN	3.5
OPCW-S02-13-CFS	QSFP28-100G-IR4-PSM4	SMF	MPO	1310nm	2km	DFB	PIN	3.5
OPCW-S10-13-CBD	QSFP28-100G-LR4 (DFB)	SMF	Duplex LC	1310nm	10km	DFB	PIN	3.5
OPCW-S10-13-CR	QSFP28-100G-LR4 (EML)	SMF	Duplex LC	1310nm	10km	EML	PIN	3.5
OPCW-S10-13-CRT	QSFP28-100G-LR4 (DUAL RATE)	SMF	Duplex LC	1310nm	10km	EML	PIN	4W
OPCW-S10-13-CBE	QSFP28-100G-eCWDM4	SMF	Duplex LC	1271nm, 1291nm 1311nm, 1331nm	10km	DFB	PIN	3.5
OPCW-S10-13-CFS	QSFP28-100G-LR4-PSM4	SMF	MPO	1310	10km	DFB	PIN	3.5
OPCW-S30-13-CRT	QSFP28-100G-ER4-Lite (DUAL RATE)	SMF	Duplex LC	1310	30km	EML	APD	4.5W
OPCW-S30-13-CR	QSFP28-100G-ER4-Lite	SMF	Duplex LC	1310	30km	EML	APD	4.5W
OPCW-S40-13-CR	QSFP28-100G-ER4	SMF	Duplex LC	1310	40km	EML	APD	4.5W
OPCW-S80-13-CR	QSFP28-100G-ZR4	SMF	Duplex LC	1310	80km	EML	SOA APD	5.5W
OPCW-SA0-13-CA	QSFP28-100G-ZR4+	SMF	Duplex LC	1310	100km	EML	SOA APD	6W
OPCVR-QSFP28-SFP25G	CONVERTER MODULE	X	Duplex LC	X	X	X	X	X






100G

QSFP28 BIDI/Single Lambda

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
100G QSFP28								
OPCW-WX1-85-CB	QSFP28-100G-SR1.2 BD	MMF	Duplex LC	850	100m	VCSEL	PIN	2.5w
OPCW-WX1-85-CYT	QSFP-40/100-SR BD	MMF	Duplex LC	863/916	100m	VCSEL	PIN	2.5w
OPCW-W10-27-CA	QSFP28-100G-BIDI 10km	SMF	Simplex LC	TX1271/RX1331	10km	DFB	PIN	3.5w
OPCW-W10-33-CA	QSFP28-100G-BIDI 10km	SMF	Simplex LC	TX1331/RX1271	10km	DFB	PIN	3.5w
OPCW-W20-29-CA	QSFP28-100G-BIDI 20km	SMF	Simplex LC	TX1291/RX1311	20km	DFB	PIN	3.5w
OPCW-W20-31-CA	QSFP28-100G-BIDI 20km	SMF	Simplex LC	TX1311/RX1291	20km	DFB	PIN	3.5w
OPCW-W30-A4-CA	QSFP28-100G-BIDI 30km	SMF	Simplex LC	TX1304/RX1309	30km	EML DFB	APD	3.5w
OPCW-W30-A9-CA	QSFP28-100G-BIDI 30km	SMF	Simplex LC	TX1309/RX1304	30km	EML DFB	APD	3.5w
OPCW-W40-A4-CA	QSFP28-100G-BIDI 40km	SMF	Simplex LC	TX1304/RX1309	40km	EML DFB	APD	3.5w
OPCW-W40-A9-CA	QSFP28-100G-BIDI 40km	SMF	Simplex LC	TX1309/RX1304	40km	EML DFB	APD	3.5w
OPCW-W80-28-CO	QSFP28-100G-BIDI 80km	SMF	Simplex LC	TX 1273.55~1286.66nm RX-1295.56~1309.14nm	80km	EML	PIN	5.5w
OPCW-W80-30-CO	QSFP28-100G-BIDI 80km	SMF	Simplex LC	TX 1273.55~1286.66nm RX-1295.56~1309.14nm	80km	EML	PIN	5.5w
OPCW-SX5-13-CB1	QSFP28-100-DR1	SMF	Duplex LC	1310	500m	DFB	PIN	4w
OPCW-S02-13-CB1	QSFP28-100-FR1	SMF	Duplex LC	1310	2km	DFB	PIN	4.5w
OPCW-S10-13-CB1	QSFP28-100-LR1	SMF	Duplex LC	1310	10km	DFB	PIN	4w

50G


SFP56/QSFP56/QSFP28



5G Fronthaul


One Fiber One Site Solutions

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
SFP56								
OPAU-MX1-85-CF	SFP56 SR	MMF	Duplex LC	850nm	100m	VCSEL	PIN	3.5W
OPAU-S10-13-CF	SFP56 LR	SMF	Duplex LC	1310nm	10km	DFB	PIN	3.5W
OPAU-S40-13-CF	SFP56 ER	SMF	Duplex LC	1310nm	40km	DFB	APD	4W
OPAU-W10-27-CF	SFP56 LR BIDI	SMF	Duplex LC	1270/1330nm	10km	DFB	PIN	3.5W
OPAU-W10-33-CF	SFP56 LR BIDI	SMF	Duplex LC	1330/1270nm	10km	DFB	PIN	3.5W
OPAU-C10-yy-CF	SFP56 LR CWDM	SMF	Duplex LC	1330nm	10km	DFB	PIN	3.5W
QSFP56								
OPCU-MX1-85-CF	QSFP56 SR	MMF	Duplex LC	850nm	150M	VCSEL	PIN	3.5W
QSFP28								
OPCP-S10-13-Cx	50G LR Duplex	SMF	Duplex LC	1310nm	10km	DFB	PIN	4.5W
OPCP-S40-13-Cx	50G ER Duplex	SMF	Duplex LC	1310nm	40km	EML	APD	4.5W
OPCP-W10-27-Cx	50G LR BIDI	SMF	Duplex LC	1270/1330nm	10km	DFB	PIN	4.5W
OPCP-W10-33-Cx	50G LR BIDI	SMF	Duplex LC	1330/1270nm	10km	DFB	PIN	4.5W
OPCP-W40-xx-Cx	50G ER BIDI	SMF	Duplex LC	1295/1305nm	40km	EML	APD	4.5W
OPCP-W40-xx-Cx	50G ER BIDI	SMF	Duplex LC	1305/1295nm	40km	EML	APD	4.5W



40G

QSFP+



Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
QSFP+ 40Gbps								
OPCS-MX1-85-CF	QSFP-40G-SR4	MMF	MPO	850nm	100m	VCSEL	PIN	1.5W
OPCS-MX3-85-CF	QSFP-40G-ESR4 QSFP-40G-CSR4	MMF	MPO	850nm	300m	VCSEL	PIN	1.5W
OPCS-WX1-85-C	QSFP-40G-BWDM-SR4	MMF	MTP/MPO	850/900nm	150m	VCSEL	PIN	1.5W
OPCS-X02-13-CB	QSFP-40G-LX4	MMF/SMF	Duplex LC	1271nm, 1291nm 1311nm, 1331nm	150m/2km	DFB	PIN	3.5W
OPCS-AX1-85-CY	QSFP-40G-SWDM4	SWDM	Duplex LC	850nm, 880nm 910nm, 940nm	100m	VCSEL	PIN	3.5W
OPCS-S01-13-CFS	QSFP-40G-IR4 (PSM)	SMF	Duplex LC	1310nm	1.4km	DFB	PIN	3.5W
OPCS-S02-13-CF	QSFP-40G-IR4	SMF	Duplex LC	1271nm, 1291nm 1311nm, 1331nm	2km	DFB	PIN	3.5W
OPCS-S10-13-CF	QSFP-40G-LR4	SMF	Duplex LC	1310nm	10km	DFB	PIN	3.45W
OPCS-S10-13-CFS	QSFP-40G-4X10GE-IR (PSM)	SMF	MPO	1310nm	10km	DFB	PIN	3.5W
OPCS-S40-13-CF	QSFP-40G-ER4	SMF	Duplex LC	1310nm	40km	DFB	APD	4W
OPCS-S80-13-CF	QSFP-40G-ZR4	SMF	Duplex LC	1310nm	80km	DFB	APD	4.5W
OPCVR-QSFP-SFP10G	CONVERTER MODULE	X	Duplex LC	X	X	X	X	X

25G

SFP28



Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
25G SFP28								
OPAX-MX1-85-CF	SFP28-25G-SR	MMF	Duplex LC	850	70m-100m	VCSEL	PIN	1W
OPAX-MX3-85-CF	SFP28-25G-CSR	MMF	Duplex LC	850	300m	VCSEL	PIN	1W
OPAX-S10-13-CF	SFP28-25G-LR	SMF	Duplex LC	1310	10km	DFB	PIN	1.5W
OPAX-W10-27-CF	SFP28-25G-BWDM-10-xx	SMF	Simplex LC	1270/1330	10km	DFB	PIN	1.5W
OPAX-W10-33-CF	SFP28-25G-BWDM-10-xx	SMF	Simplex LC	1330/1270	10km	DFB	PIN	1.5W
OPAX-W20-27-CF	SFP28-25G-BWDM-20-xx	SMF	Simplex LC	1270/1330	20km	DFB	PIN	1.5W
OPAX-W20-33-CF	SFP28-25G-BWDM-20-xx	SMF	Simplex LC	1330/1270	20km	DFB	PIN	1.5W
OPAX-W40-27-CF	SFP28-25G-BWDM-40-xx	SMF	Simplex LC	1270/1330	40km	EML	APD	2W
OPAX-W40-33-CF	SFP28-25G-BWDM-40-xx	SMF	Simplex LC	1330/1270	40km	EML	APD	2W
OPAX-C14-yy-CF	SFP-25G-CWDM-14-yy	SMF	Duplex LC	1270-1370	10km	DFB	PIN	1.5W
OPAX-C14-yy-CF	SFP-25G-CWDM-14-yy	SMF	Duplex LC	1410-1430	10km	DFB	PIN	1.5W
OPAX-C14-yy-CF	SFP-25G-CWDM-14-yy	SMF	Duplex LC	1470-1570	10km	DFB	PIN	1.5W
OPAX-D10-xx-CF	SFP-25G-DWDM-10-xx	SMF	Duplex LC	1563.05~1528.77	10km	EML	PIN	2.5W
OPAX-D10-xx-CR	SFP-25G-DWDM-10	SMF	Duplex LC	Tunable	10km	EML	PIN	2.5W
OPAX-D15-xx-CR	SFP-25G-DWDM-15	SMF	Duplex LC	Tunable	15km	EML	PIN	2.5W
OPAX-S40-13-CF	SFP28-25G-ER	SMF	Duplex LC	1310	40km	EML	APD	2W
OPAX-S80-13-CC	SFP28-25G-ZR	SMF	Duplex LC	1300	80km	EML	APD	2.5W
OPAX-MX1-85-CDT	SFP28 10/25G SR (dual rate)	MMF	Duplex LC	850	100m	VCSEL	PIN	1W
OPAX-MX3-85-CDT	SFP28 10/25G CSR (dual rate)	MMF	Duplex LC	850	300m	VCSEL	PIN	1W
OPAX-S10-13-CDT	SFP28 10/25G LR (dual rate)	SMF	Duplex LC	1310	10km	DFB	PIN	1.5W



10G SFP+

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
SFP+								
OPAK-MX2-13-CF	SFP-10G-LRM	MMF	Duplex LC	1310nm	220m	DFB	PIN	1W
OPAK-MX3-85-CF	SFP+10G-SR	MMF	Duplex LC	850nm	300m	VCSEL	PIN	1W
OPAT-MX3-85-CF	SFP+1G/10G-SR	MMF	Duplex LC	850nm	300m	VCSEL	PIN	1W
OPAK-S02-13-CF	SFP-10G-LR-Lite	SMF	Duplex LC	1310nm	2km	FP	PIN	1W
OPAK-S10-13-CF	SFP+10G-LR	SMF	Duplex LC	1310nm	10km	DFB	PIN	1W
OPAT-S10-13-CF	SFP+1G/10G-LR	SMF	Duplex LC	1310nm	10km	DFB	PIN	1W
OPAK-S40-13-CF	SFP+10G-ELR	SMF	Duplex LC	1310nm	40km	DFB	APD	1.5W
OPAT-S40-13-CF	SFP+1G/10G-ELR	SMF	Duplex LC	1310nm	40km	DFB	APD	1.5W
OPAK-S40-15-CF	SFP+10G-ER	SMF	Duplex LC	1550nm	40km	EML	PIN	1.5W
OPAT-S40-15-CF	SFP+1G/10G-ER	SMF	Duplex LC	1550nm	40km	EML	PIN	1.5W
OPAK-S80-15-CF	SFP+10G-ZR	SMF	Duplex LC	1550nm	80km	EML	APD	2W
OPAT-S80-13-CF	SFP+1G/10G-ZR	SMF	Duplex LC	1550nm	80km	EML	APD	2W
OPAK-TX1-00-CDx	SFP+10G-TX	Copper	RJ45	X	30~100m	Cat 6a/7	Cat 6a/7	2.5W
OPAT-TX1-00-CD1	SFP+10G-TX (Multi Rate)	Copper	RJ45	X	30~100m	Cat 6a/7	Cat 6a/7	2.5W
SFP+ BWDM								
OPAK-Wxx-27-CF	SFP+BWDM-xx-27	SMF	Simplex LC	TX1270/RX1330	10~60km	DFB	PIN	1.5W
OPAK-Wxx-33-CF	SFP+BWDM-10-33	SMF	Simplex LC	TX1330/RX1270	10~60km	DFB	PIN	1.5W
OPAK-W80-49-CF	SFP+BWDM-80-49	SMF	Simplex LC	TX1490/RX1550	80km	EML	APD	2.5W
OPAK-W80-55-CF	SFP+BWDM-80-55	SMF	Simplex LC	TX1550/RX1490	80km	EML	APD	2.5W
SFP+ CWDM								
OPAK-C14-yy-CF	SFP+CWDM-14-yy	SMF	Duplex LC	1470~1610nm	10km	DFB	PIN	1.5W
OPAK-C16-yy-CF	SFP+CWDM-16-yy	SMF	Duplex LC	1470~1610nm	20km	CWDM EML	PIN	1.5W
OPAK-C20-yy-CF	SFP+CWDM-20-yy	SMF	Duplex LC	1470~1610nm	40km	DFB	APD	1.5W
OPAK-C24-yy-CF	SFP+CWDM-24-yy	SMF	Duplex LC	1470~1610nm	70km	CWDM EML	APD	2W
OPAK-C25-yy-CF	SFP+CWDM-25-yy	SMF	Duplex LC	1470~1550nm	80km	CWDM EML	APD	2W
SFP+ DWDM								
OPAK-D80-00-CQ	SFP+DWDM-80	SMF	Duplex LC	Tunable	80km	EML	APD	2W
OPAK-D40-xx-CQ	SFP+DWDM-40-xx	SMF	Duplex LC	1563.86~1540.56	40km	EML	PIN	2W
OPAK-D80-xx-CQ	SFP+DWDM-80-xx	SMF	Duplex LC	1563.86~1540.56	80km	EML	APD	2W

***Industrial Temp. available**

10G

XFP

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
XFP								
OP7K-MX3-85-CF	XFP-10G-SR	MMF	Duplex LC	850nm	300m	VCSEL	PIN	1.5W
OP7K-S10-13-CF	XFP-10G-LR	SMF	Duplex LC	1310nm	10km	DFB	PIN	2W
OP7K-S40-15-CF	XFP-10G-ER	SMF	Duplex LC	1550nm	40km	EML	PIN	2.5W
OP7K-S80-15-CF	XFP-10G-ZR	SMF	Duplex LC	1550nm	80km	EML	APD	2.5W
XFP BWDM								
OP7K-W20-27-CF	XFP-BWDM-20-27	SMF	Simplex LC	1270/1330nm	20km	DFB	PIN	2W
OP7K-W20-33-CF	XFP-BWDM-20-33	SMF	Simplex LC	1330/1270nm	20km	DFB	PIN	2W
OP7K-W40-27-CF	XFP-BWDM-40-27	SMF	Simplex LC	1270/1330nm	40km	DFB	PIN	2W
OP7K-W40-33-CF	XFP-BWDM-40-33	SMF	Simplex LC	1330/1270nm	40km	DFB	PIN	2W
OP7K-W60-27-CF	XFP-BWDM-60-27	SMF	Simplex LC	1270/1330nm	60km	DFB	APD	2W
OP7K-W60-33-CF	XFP-BWDM-60-33	SMF	Simplex LC	1330/1270nm	60km	DFB	APD	2W
OP7K-W80-27-CF	XFP-BWDM-80-49	SMF	Simplex LC	1490/1550nm	80km	EML	APD	2W
OP7K-W80-33-CF	XFP-BWDM-80-55	SMF	Simplex LC	1550/1490nm	80km	EML	APD	2W
XFP CWDM								
OP7K-C10-yy-CF	XFP CWDM-10-yy	SMF	Duplex LC	1270~1410nm	10km	DFB	PIN	2W
OP7K-C14-yy-CF	XFP CWDM-14-yy	SMF	Duplex LC	1270~1330nm	40km	DFB	APD	2W
OP7K-C24-yy-CF	XFP CWDM-24-yy	SMF	Duplex LC	1470~1610nm	80km	EML	APD	2W
XFP DWDM								
OP7K-D40-xx-CF	XFP-DWDM-40-xx	SMF	Duplex LC	1529.55~1560.61nm	40km	EML	PIN	2.5W
OP7K-D80-xx-CF	XFP-DWDM-80-xx	SMF	Duplex LC	1529.55~1560.61nm	80km	EML	APD	2.5W
OP7K-D80-00-CQ	XFP-DWDM-80	SMF	Duplex LC	Tunable	80km	EML	APD	2.5W




1.25G SFP

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
SFP								
OP6C-MX5-85-CMF	SFP-SX	MMF	Duplex LC	850nm	550m	VCSEL	PIN	1W
OP6C-M02-13-CMF	SFP-MLX	MMF	Duplex LC	1310nm	2km	FP	PIN	1W
OP6C-S10-13-CMF	SFP-LX	SMF	Duplex LC	1310nm	10km	FP	PIN	1W
OP6C-S20-13-CMF	SFP-LX 20	SMF	Duplex LC	1310nm	20km	FP	PIN	1W
OP6C-S40-13-CMF	SFP-ELX	SMF	Duplex LC	1310nm	40km	DFB	PIN	1W
OP6C-S40-15-CMF	SFP-EX	SMF	Duplex LC	1550nm	40km	DFB	PIN	1W
OP6C-S50-15-CMF	SFP-XD	SMF	Duplex LC	1550nm	50km	DFB	PIN	1W
OP6C-S70-15-CMF	SFP-ZX	SMF	Duplex LC	1550nm	70km	DFB	PIN	1W
OP6C-S80-15-CMF	SFP-ZX+	SMF	Duplex LC	1550nm	80km	DFB	PIN	1W
OP6C-S90-15-CMF	SFP-EZX	SMF	Duplex LC	1550nm	90km	DFB	PIN	1W
OP6C-SA0-15-CMF	SFP-EZX+	SMF	Duplex LC	1550nm	100km	DFB	APD	1W
OP6C-SB0-15-CMF	SFP-UZX	SMF	Duplex LC	1550nm	110km	DFB	APD	1W
OP6C-SC0-15-CMF	SFP-UZX+	SMF	Duplex LC	1550nm	120km	DFB	APD	1W
OP6C-TX1-00-CD1	SFP-TX	Copper	RJ-45	X	100m	NA	NA	1W
OP6C-TX1-00-CD2	SFP-TX	Copper	RJ-45	X	100m	NA	NA	1W
OP6T-TX1-00-CS	SGMII SUPPORT	Copper	RJ-45	X	100m	NA	NA	1W

1.25G

BWDM/CWDM/DWDM

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
SFP BIDI								
OP6C-Wxx-B3-CMF	SFP-BWDM-xx-31	SMF	Simplex LC	1310/1550nm	10~60km	FP	PIN	1W
OP6C-Wxx-B5-CMF	SFP-BWDM-xx-55	SMF	Simplex LC	1550/1310nm	10~60km	DFB	PIN	1W
OP6C-Wxx-B4-CMF	SFP-BWDM-xx-31	SMF	Simplex LC	1310/1490nm	10~60km	FP	PIN	1W
OP6C-Wxx-B9-CMF	SFP-BWDM-xx-49	SMF	Simplex LC	1490/1310nm	10~60km	DFB	PIN	1W
OP6C-W80-49-CMF	SFP-BWDM-80-49	SMF	Simplex LC	1490/1550nm	80km	DFB	PIN	1W
OP6C-W80-55-CMF	SFP-BWDM-80-55	SMF	Simplex LC	1550/1490nm	80km	DFB	PIN	1W
OP6C-WC0-49-CMD	SFP-BWDM-120-49	SMF	Simplex LC	1490/1550nm	120km	DFB	APD	1W
OP6C-WC0-55-CMD	SFP-BWDM-120-55	SMF	Simplex LC	1550/1490nm	120km	DFB	APD	1W
SFP CWDM								
OP6C-C14-yy-CMF	SFP-CWDM-14-yy	SMF	Duplex LC	1270 ~ 1610nm	20KM	CWDM DFB	PIN	1W
OP6C-C16-yy-CMF	SFP-CWDM-16-yy	SMF	Duplex LC	1270 ~ 1610nm	30KM	CWDM DFB	PIN	1W
OP6C-C20-yy-CMF	SFP-CWDM-20-yy	SMF	Duplex LC	1270 ~ 1610nm	40KM	CWDM DFB	PIN	1W
OP6C-C24-yy-CMF	SFP-CWDM-24-yy	SMF	Duplex LC	1270 ~ 1610nm	60KM	CWDM DFB	PIN	1W
OP6C-C26-yy-CMF	SFP-CWDM-26-yy	SMF	Duplex LC	1270 ~ 1610nm	80KM	CWDM DFB	PIN	1W
OP6C-C30-yy-CMF	SFP-CWDM-30-yy	SMF	Duplex LC	1470 ~ 1610nm	100KM	CWDM DFB	APD	1W
OP6C-C31-yy-CMF	SFP-CWDM-31-yy	MSA/ SFF	Duplex LC	1470 ~ 1610nm	120KM	CWDM DFB	APD	1W
SFP DWDM								
OP6C-D80-xx-CMD	SFP-DWDM-80-xx	MSA	Duplex LC	1528.77~1563.05nm	80km	DML	APD	1W



622M 155M SFP

Optech P/N	Model No.:	Media Type	Connector	Wavelength	Reach	Transmitter	Receiver	Max Power Consumption
SFP 622Mbps								
OP6B-S15-13-CMF	SFP-622-15	SMF	Duplex LC	1310nm	15km	FP	PIN	1W
OP6B-S20-13-CMF	SFP-622-20	SMF	Duplex LC	1310nm	20km	FP	PIN	1W
OP6B-S40-13-CMF	SFP-622-40	SMF	Duplex LC	1310nm	40km	DFB	PIN	1W
OP6B-S80-13-CMF	SFP-622-80	SMF	Duplex LC	1310nm	80km	APD	PIN	1W
OP6B-SC0-13-CMF	SFP-622-120	SMF	Duplex LC	1310nm	120km	APD	PIN	1W
SFP 155Mbps								
OP6A-M02-85-CMF	SFP-155-850-02	MMF	Duplex LC	850nm	2km	VCSEL	PIN	1W
OP6A-M02-13-CMF	SFP-155-1310-02	MMF	Duplex LC	1310nm	2km	FP	PIN	1W
OP6M-M02-13-CMD	SFP-100DUAL-MM-DM-SGMII. GLC-GE-100FX=	MMF	Duplex LC	1310nm	2km	FP	PIN	1.5W
OP6A-S20-13-CMF	SFP-155-20	SMF	Duplex LC	1310nm	20km	FP	PIN	1W
OP6A-S30-13-CMF	SFP-155-30	SMF	Duplex LC	1310nm	30km	FP	PIN	1W
OP6A-S40-13-CMF	SFP-155-40	SMF	Duplex LC	1310nm	40km	FP	PIN	1W
OP6A-S80-15-CMF	SFP-155-80	SMF	Duplex LC	1550nm	80km	DFB	PIN	1W
OP6A-S90-15-CMF	SFP-155-90	SMF	Duplex LC	1550nm	90km	DFB	PIN	1W
OP6A-SA0-15-CMF	SFP-155-100	SMF	Duplex LC	1550nm	100km	DFB	PIN	1W
OP6A-SB0-15-CMF	SFP-155-110	SMF	Duplex LC	1550nm	110km	DFB	PIN	1W
OP6A-SC0-15-CMF	SFP-155-120	SMF	Duplex LC	1550nm	120km	DFB	PIN	1W
OP6A-TX1-00-CF	SFP-100-TX	Copper	RJ-45	X	100m	NA	NA	1W
OP6A-TX1-00-IF	SFP-100-TX-I	Copper	RJ-45	X	100m	NA	NA	1W
SFP BIDI 155Mbps								
OP6A-Wxx-B3-CMF	SFP-155-BWDMxx-31	SMF	Duplex LC	1310/1550nm	20~60km	FP	PIN	1W
OP6A-Wxx-B5-CMF	SFP-155-BWDMxx-55	SMF	Duplex LC	1550/1310nm	20~60km	DFB	PIN	1W
OPPA-Wxx-B3-CMF	SFP-155-BWDMxx-31	SMF	Duplex SC	1310/1550nm	20~60km	FP	PIN	1W
OPPA-Wxx-B5-CMF	SFP-155-BWDMxx-55	SMF	Duplex SC	1550/1310nm	20~60km	DFB	PIN	1W

DAC

Direct Attach Cable

Optech P/N	Length	Type	AWG
800G OSFP Passive Cable			
OPQSOH-T-xx-PCV	0.5~1M	Passive	28
OPQSOH-T-xx-PBV	1~2M	Passive	26
800G QSFP-DD Passive Cable			
OPQSDH-T-xx-PCV	0.5~1M	Passive	28
OPQSDH-T-xx-PBV	1~2M	Passive	26
800G OSFP to QSFP-DD Passive Cable			
OPOQSDH-T-01-PCV	1M	Passive	28
OPOQSDH-T-02-PBV	2M	Passive	26
400G OSFP Passive Cable			
OPQSOD-T-xx-PCB	0.5~1M	Passive	28
OPQSOD-T-xx-PBB	1~2.5M	Passive	26
400G QSFP112 Passive Cable			
OP12QD-T-xx-PCB	0.5~1M	Passive	30
OP12QD-T-xx-PBB	1~2.5M	Passive	26
400G QSFP-DD Passive Cable			
OPQSDD-T-xx-PEB	0.5~1M	Passive	30
OPQSDD-T-xx-PCB	1~2.5M	Passive	28
200G QSFP56 Passive Cable			
OPQS56-T-xx-PEB	0.5~1M	Passive	30
OPQS56-T-xx-PBB	1~3M	Passive	26
200G QSFP-DD Passive Cable			
OPQSDB-T-xx-PEB	0.5~1M	Passive	30
OPQSDB-T-xx-PCB	1~3M	Passive	28

Optech P/N	Length	Type	AWG
100G QSFP28 Passive Cable			
OPQS28-T-xx-PEB	0.5~3M	Passive	30
OPQS28-T-xx-PBB	3~5M	Passive	26
50G SFP56 Passive Cable			
OPSF56-T-xx-PEB	1~1.5M	Passive	30
OPSF56-T-xx-PBB	1.5~2.5M	Passive	26
40G QSFP+ Passive Cable			
OPQSFP-T-xx-PEB	0.5~3M	Passive	30
OPQSFP-T-xx-PBB	3~4M	Passive	26
25G SFP28 Passive Cable			
OPSF28-T-xx-PEB	0.5~3M	Passive	30
OPSF28-T-xx-PBB	3~5M	Passive	26
10G SFP+ Passive Cable			
OPSFPP-T-xx-PEB	0.5~3M	Passive	30

1.6T OSFP DAC available



DAC

Fanout Cable

Optech P/N	Length	Type	AWG
800G OSFP to 2x 400G OSFP			
OPQSOH-T-xx-x/QSOD/2	0.5~2.5m	DAC/AEC/ACC	26~28
800G OSFP to 2x 400G QSFP112			
OPQSOH-T-xx-x/12QD/2	0.5~2.5m	DAC/AEC/ACC	26~28
800G OSFP to 4x 200G OSFP			
OPQSOH-T-xx-x/QSOB/4	0.5~2.5m	DAC/AEC/ACC	26~28
800G OSFP to 4x 200G QSFP112			
OPQSOH-T-xx-x/12QV/4	0.5~2.5m	DAC/AEC/ACC	26~28
400G OSFP to 2x 200G QSFP56			
OPQSOD-T-xx-x/QS56/2	0.5~2.5m	DAC/AEC/ACC	26~28
400G QSFP-DD to 2x 200G QSFP56			
OPQSDD-T-xx-x/QS56/2	0.5~2.5m	DAC/AEC/ACC	28~30
400G OSFP to 4x 100G QSFP56			
OPQSOD-T-xx-x/QS56/4	0.5~2.5m	DAC/AEC/ACC	26~28
400G QSFP-DD to 4x 100G QSFP56			
OPQSDD-T-xx-x/QS56/4	0.5~2.5m	DAC/AEC/ACC	28~30
400G QSFP-DD to 4x 100G QSFP28			
OPQSDD-T-xx-x/QS28/4	0.5~2.5m	DAC/AEC/ACC	28~30
400G QSFP-DD to 8x 50G SFP56			
OPQSDD-T-xx-x/SF56/8	0.5~2.5m	DAC/AEC/ACC	28~30
200G QSFP-DD to 2x 100G QSFP28			
OPQSDV-T-xx-x/QS28/2	0.5~3m	Passive/Active	28~30
200G QSFP56 to 2x 100G QSFP56			
OPQS56-T-xx-x/QS56/2	0.5~3m	Passive/Active	26~30
200G QSFP-DD to 4x 50G QSFP28			
OPQSDV-T-xx-x/QS14/4	0.5~3m	Passive/Active	26~30
200G QSFP56 to 4x 50G SFP56			
OPQS56-T-xx-x/SF56/4	0.5~3m	Passive/Active	26~30
200G QSFP-DD to 8x 25G SFP28			
OPQSDV-T-xx-x/SF28/8	0.5~3m	Passive/Active	26~30

Optech P/N	Length	Type	AWG
100G QSFP28 to 2x 50G QSFP28			
OPQS28-T-xx-x/QS14/2	0.5~5m	Passive/Active	26~30
100G QSFP28 to 4x 25G SFP28			
OPQS28-T-xx-x/SF28/4	0.5~5m	Passive/Active	26~30
40G QSFP+ to 4x 10G SFP+			
OPQSFP-T-xx-x/SFPP/4	0.5~7m	Passive/Active	26~30



AOC

Active Optical Cable


Optech P/N	Length	Type	Fiber Type
800G QSFP-DD AOC			
OPQSDH-F-xx-AKx	1~50M	Active	OM3/OM4
800G OSFP AOC			
OPQSOH-F-xx-AKx	1~50M	Active	OM3/OM4
400G OSFP-RHS to 400G QSFP-DD AOC			
OPQSXD-F-xx-AKx	1~50M	Active	OM3/OM4
400G QSFP-DD AOC			
OPQSDD-F-xx-AKx	1~100M	Active	OM3/OM4
400G OSFP AOC			
OPQSOD-F-xx-AKx	1~50M	Active	OM3/OM4
400G QSFP112 AOC			
OP12QD-F-xx-AKx	1~50M	Active	OM3/OM4

Optech P/N	Length	Type	Fiber Type
200G QSFP-DD AOC			
OPDD56-F-xx-AKx	1~100M	Active	OM3/OM4
200G QSFP56 AOC			
OPQS56-F-xx-AKx	1~100M	Active	OM3/OM4
100G QSFP28 AOC			
OPQS28-F-xx-AKx	1~100M	Active	OM3/OM4
50G QSFP56 AOC			
OPSF56-F-xx-AKx	1~100M	Active	OM3
40G QSFP AOC			
OPQSFP-F-xx-AKx	1~100M	Active	OM3
25G SFP28 AOC			
OPSF28-F-xx-AKx	1~100M	Active	OM3
10G SFP AOC			
OPSFPP-F-xx-AKx	1~100M	Active	OM3



AOC

Fanout Cable



Optech P/N	Length	Type	Fiber Type
800G OSFP to 2x400G OSFP-RHS			
OPQSOH-F-XX-A/QSOD/2	1~50M	Active	OM3
400G OSFP to 2x 200G QSFP56			
OPQSOD-F-xx-A/QS56/2	1~50M	Active	OM3
400G QSFP-DD to 2x 200G QSFP56			
OPQSDD-F-xx-A/QS56/2	1~100M	Active	OM3
400G OSFP to 4x QSFP28			
OPQSOD-F-xx-A/QS28/4	1~20M	Active	OM3
400G QSFP-DD to 4x 100G QSFP56			
OPQSDD-F-xx-A/QS56/4	1~100M	Active	OM3
400G QSFP-DD to 4x 100G QSFP28			
OPQSDD-F-xx-A/QS28/4	1~20M	Active	OM3
400G QSFP-DD to 8x 50G SFP56			
OPQSDD-F-xx-A/SF56/8	1~100M	Active	OM3
200G QSFP-DD to 2x 100G QSFP28			
OPQSDV-F-xx-A/QS28/2	1~100M	Active	OM3
200G QSFP56 to 2x 100G QSFP56			
OPQS56-F-xx-A/QS56/2	1~100M	Active	OM3
200G QSFP56 to 4x 50G SFP56			
OPQS56-F-xx-A/SF56/4	1~100M	Active	OM3
200G QSFP-DD to 8x 25G SFP28			
OPQSDV-F-xx-A/SF28/8	1~100M	Active	OM3

Office/Branch

Taiwan

Optech Technology Co., Ltd.
5F, No. 56, Ln. 258, Ruiguang Rd.,
Neihu Dist., 114, Taipei, Taiwan
sales@optech.com.tw

South Korea

Optech Korea Co., Ltd.
경기도 고양시 덕양구 으뜸로110,
2동 812호 (힐스테이트에코덕은)
#812, 102Bldg, 110, Eutteum-ro,
Deogyang-gu, Goyang-si, Gyeonggi-do,
Korea, 10543
jay@optechkorea.com

Japan

株式会社 エバーリッチジャパン
130-0004東京都
墨田区本所1丁目4番
EVER RICH JAPAN Co., Ltd.
1 Chome-4-7 Honjo, Sumida City, Tokyo
130-0004日本
sales@optech.com.tw

VAR

Europe

France
Microtech Noriak Distribution
9 rue de la Frebardiere,
Ecopole Sud Est,
35510 Cesson Sevigne, France
sales@optech.com.tw

Middle East

United Arab Emirates
F1 Systems LLC
Khalid Bin Waleed Road, Bur Dubai,
Near Al Raffa
Police Station, Dubai, UAE
sales@optech.com.tw

South Asia

India
Indovision Services Private Limited
Industrial Unit D, Building No A/7,
Barbosa Industrial Park, Saravali Road,
Bhiwandi, Thane, Maharashtra, 421302,
India
sales@optech.com.tw

Africa

South Africa
Phendula Technologies (Pty) Ltd.
7 Berkley office park
8 Bauhinia str,
Highveld Techno Park,
Centurion Gauteng, 0157, South Africa
sales@optech.com.tw



www.optech.com.tw

2025